

CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE



No. 0095 CPR 07-2013

PRODUCT NAME: SeceuroDoor Insulated Industrial Door

1. Identification code: **Roller Shutter P32**
2. Type: **SeceuroDoor 95 Insulated Industrial Door**
3. Intended use: **External Door For Vehicle Access**
4. Manufacturer: **SWS UK, Hornby Road, Cloughton, Lancaster, LA2 9LA**
5. Authorised representative: **Not applicable**
6. Assessment and verification of constancy of performance: **system 3**
7. Notified Body and tasks: **ift Rosenheim 17025 performed ITT under system 3 and issued test report No. 249 6037141-1-1. Warrington APT 1104 performed ITT under system 3 and issued test report No. 144081A, TUV NORD Cert 0044 performed ITT under system 3 and issued test report No. 10 780 387733-001**
8. European Technical Assessment: **Not applicable**
9. Declared Performance:

Essential Characteristics	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241-1:2003 + A1:2011
Dangerous Substances	None	
Resistance to wind load	Class 2	
Thermal transmittance	4.3 W/(m ² K)	
Air permeability	NPD	
Safe opening	Pass	
Definition of geometry of glass components	Pass	
Mechanical resistance and stability	Pass	
Operating forces	Pass	
Durability of Watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation:	Not applicable
-----------------------------------	----------------

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name: Colin Reoch (Managing Director)

Date: 1st July 2013

Signed: